

# Package: FactorAssumptions (via r-universe)

September 10, 2024

**Type** Package

**Title** Set of Assumptions for Factor and Principal Component Analysis

**Version** 2.0.1

**Maintainer** Jose Storopoli <jstoropoli@protonmail.com>

**Description** Tests for Kaiser-Meyer-Olkin (KMO) and communalities in a dataset. It provides a final sample by removing variables in an iterable manner while keeping account of the variables that were removed in each step. It follows the best practices and assumptions according to Hair, Black, Babin & Anderson (2018, ISBN:9781473756540).

**License** GPL-3

**URL** <https://github.com/storopoli/FactorAssumptions>

**BugReports** <https://github.com/storopoli/FactorAssumptions/issues>

**Depends** R (>= 3.6.0), MASS, psych

**Suggests** knitr, rmarkdown, testthat (>= 2.1.0)

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.0.2

**Repository** <https://storopoli.r-universe.dev>

**RemoteUrl** <https://github.com/storopoli/factorassumptions>

**RemoteRef** HEAD

**RemoteSha** 18115c73a42d249e84c57b15d07ae8ad475d1821

## Contents

communalities_optimal_solution . . . . .	2
kmo . . . . .	3
kmo_optimal_solution . . . . .	4

<b>Index</b>	<b>6</b>
--------------	----------

---

 communalities\_optimal\_solution

*Calculates the Optimal Solution for Communalities in a Dataframe*


---

### Description

communalities\_optimal\_solution() call upon either the `principal` or `fa` functions from psych package to iterate over the variables of a dataframe.

### Usage

```
communalities_optimal_solution(
  df,
  nfactors,
  type,
  rotate = "varimax",
  fm = "minres",
  squared = TRUE
)
```

### Arguments

df	a dataframe with only int or num type of variables
nfactors	number of factors to extract in principal components or factor analysis
type	either principal for <i>Principal Components Analysis</i> or fa for <i>Factor Analysis</i>
rotate	rotation to be employed (default is <i>varimax</i> ). "none", "varimax", "quartimax", "bentlerT", "equamax", "varimin", "geominT" and "bifactor" are orthogonal rotations. "Promax", "promax", "oblimin", "simplimax", "bentlerQ", "geominQ" and "biquartimin" and "cluster" are possible oblique transformations of the solution. The default is to do a oblimin transformation, although versions prior to 2009 defaulted to varimax. SPSS seems to do a Kaiser normalization before doing Promax, this is done here by the call to "promax" which does the normalization before calling Promax in GPArotation.
fm	Factoring method fm="minres" (default) will do a minimum residual as will fm="uls". Both of these use a first derivative. fm="ols" differs very slightly from "minres" in that it minimizes the entire residual matrix using an OLS procedure but uses the empirical first derivative. This will be slower. fm="wls" will do a weighted least squares (WLS) solution, fm="gls" does a generalized weighted least squares (GLS), fm="pa" will do the principal factor solution, fm="ml" will do a maximum likelihood factor analysis. fm="minchi" will minimize the sample size weighted chi square when treating pairwise correlations with different number of subjects per pair. fm="minrank" will do a minimum rank factor analysis. "old.min" will do minimal residual the way it was done prior to April, 2017 (see discussion below). fm="alpha" will do alpha factor analysis as described in Kaiser and Coffey (1965)
squared	TRUE if matrix is squared (such as adjacency matrices), FALSE otherwise

## Details

If finds any individual communality below the optimal value of 0.5 then removes the lowest communality value variable until no more variable has not-optimal communality values.

## Value

A list with

1. `df` - A dataframe that has reached its optimal solution in terms of KMO values
2. `removed` - A list of removed variables ordered by the first to last removed during the procedure
3. `loadings` - A table with the communalities loadings from the variables final iteration
4. `results` - Results of the final iteration of either the `principal` or `fa` functions from psych package

## See Also

`principal` the PCA function from psych and `fa` the Factor Analysis function from psych

## Examples

```
set.seed(123)
df <- as.data.frame(matrix(rnorm(100*10, 1, .5), ncol=10))
communalities_optimal_solution(df, nfactors = 2, type = "principal", squared = FALSE)
```

---

kmo

*Calculates the Kayser-Meyer-Olkin (KMO)*

---

## Description

`kmo()` handles both positive definite and not-positive definite matrix by employing the *Moore-Penrose* inverse (pseudoinverse)

## Usage

```
kmo(x, squared = TRUE)
```

## Arguments

`x` a matrix or dataframe  
`squared` TRUE if matrix is squared (such as adjacency matrices), FALSE otherwise

**Value**

A list with

1. overall - Overall KMO value
2. individual - Individual KMO's dataframe
3. AIS - Anti-image Covariance Matrix
4. AIR - Anti-image Correlation Matrix

**Examples**

```
set.seed(123)
df <- as.data.frame(matrix(rnorm(100*10), 1, .5), ncol=10))
kmo(df, squared = FALSE)
```

---

kmo\_optimal\_solution *Calculates the Optimal Solution for Kayser-Meyer-Olkin (KMO) in a Dataframe*

---

**Description**

kmo\_optimal\_solution() call upon the [kmo](#) function to iterate over the variables of a dataframe.

**Usage**

```
kmo_optimal_solution(df, squared = TRUE)
```

**Arguments**

df                    a dataframe with only int or num type of variables  
squared                TRUE if matrix is squared (such as adjacency matrices), FALSE otherwise

**Details**

If finds any individual KMO's below the optimal value of 0.5 then removes the lowest KMO value variable until no more variable has not-optimal KMO values.

**Value**

A list with

1. df - A dataframe that has reached its optimal solution in terms of KMO values
2. removed - A list of removed variables ordered by the first to last removed during the procedure
3. kmo\_results - Results of the final iteration of the [kmo](#) function

**See Also**

[kmo](#) for kmo computation function

**Examples**

```
set.seed(123)
df <- as.data.frame(matrix(rnorm(100*10, 1, .5), ncol=10))
kmo_optimal_solution(df, squared = FALSE)
```

# Index

communalities\_optimal\_solution, [2](#)

fa, [2](#), [3](#)

kmo, [3](#), [4](#)

kmo\_optimal\_solution, [4](#)

principal, [2](#), [3](#)